


**(10) International Publication Number**  
**WO 02/073341 A3**



# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/06826

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G 06 F 17/60

US CL : 705/57

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/57

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6,085,976 A (SEHR) 11 July 2000 (11.07.2000); column 1, line 5 to column 2, line 60.	1-24, 29-31, 35-40, 44-57, 59-72, 75-89, 91, 92, 98, 100-109, 112-125
Y	US 5,453,601 A (ROSEN) 26 september 1995 (26.09.1995). column 2 lines 16-23.	25-28
Y	US 5,920,640, A (SALATINO et al.) 06 July 1999 (06.07.1999); column 1, line 5 to column 4, line 50.	32-34, 41-43, 58, 73-74, 90, 93-97, 99, 110, 111, 126
Y	US 6,253,322 B1 (SUSAKI et al.) 26 June 2001 (26.06.2001) column 2, lines 27-41.	32-34, 41-43, 58, 73-74, 90, 93-97, 99, 110, 111, 126

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

29 September 2002 (29.09.2002)

Date of mailing of the international search report

30 DEC 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

James Tamm

Telephone No. 703.305.3900

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 September 2002 (19.09.2002)


PCT

(10) International Publication Number  
**WO 02/073341 A2**

- (51) International Patent Classification<sup>7</sup>: **G06F** (72) Inventors: **PARMELEE, Christopher L.**; 6140 Triple Crown Drive, Medina, OH 44256 (US). **SMITH, Mark D.**; 1910 Hunting Valley, NW, North Canton, OH 44720 (US).
- (21) International Application Number: **PCT/US02/06826**
- (22) International Filing Date: **6 March 2002 (06.03.2002)** (74) Agent: **JOCKE, Ralph E.**; 231 South Broadway, Medina, OH 44256 (US).
- (25) Filing Language: **English** (81) Designated States (*national*): **BR, CA, CN, CO, IN, MX, PL, RU, ZA.**
- (26) Publication Language: **English** (84) Designated States (*regional*): **European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).**
- (30) Priority Data:  
60/273,996 7 March 2001 (07.03.2001) US  
60/319,015 29 November 2001 (29.11.2001) US
- (71) Applicant: **DIEBOLD, INCORPORATED** [US/US]; 5995 Mayfair Road, North Canton, OH 44720 (US).  
Published: — *without international search report and to be republished upon receipt of that report*

[Continued on next page]

(54) Title: **AUTOMATED TRANSACTION MACHINE DIGITAL SIGNATURE SYSTEM AND METHOD**



(57) Abstract: An automated transaction machine such as an ATM (10) is provided. The ATM is operative to digitally sign electronic documents (42). The ATM may be in operative connection with a storage server (32). The storage server is operative responsive to the ATM to maintain electronic documents (42) in a data store (34) in association with the user's digital safe deposit account (40) and/or a financial account (48) such as checking, savings, debit, or credit account. The storage server is further operative to store a private key (44) of a user in association with the user's digital safe deposit account and/or financial account. The ATM is operative to cause electronic documents to be signed using the private key associated with the user. The ATM is further operative to output the electronic document on a display device (18) of the ATM where the user may view and edit the electronic document.

WO 02/073341 A2

**WO 02/073341 A2**

---



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

AUTOMATED TRANSACTION MACHINE  
DIGITAL SIGNATURE SYSTEM AND METHOD

TECHNICAL FIELD

5           This invention relates to automated transaction machines. Specifically this invention relates to an automated transaction machine system and method that is capable of digitally signing electronic documents.

BACKGROUND ART

10           As an increasing number of individuals own or have access to personal computers, more and more individuals are generating electronic documents. Examples of electronic documents include electronically filed tax returns, contracts for goods or services ordered online through the internet, e-mail, word processing documents, or any other type of document that has a digital  
15 form. Some electronic documents are of a type that the individuals involved in generating, sending or receiving such documents might prefer to have the documents maintained as secure and confidential for long periods of time.

          Unfortunately, many personal computers have insecure configurations. With the increasing popularity of the Internet, many personal computers are  
20 vulnerable to being accessed remotely by hackers on the Internet. Further, many home personal computers are not configured with passwords and as a result anyone with physical access to the personal computer such as a friend, a child care giver, or a relative may accidentally or intentionally gain access to sensitive electronic documents. Although cryptography software exists to  
25 encrypt private electronic documents, many individuals do not have the technical skill to install and configure encryption software correctly on their personal computers. Consequently, there exists a need for a system and method of protecting personal electronic documents which can be more easily used by individuals.

30

Electronic documents belonging to individuals are often stored on a hard drive of a personal computer. For example, consumer tax software typically generates electronic tax return documents which are stored on a hard drive. Word processors often store electronic document files in a common directory on a hard drive. E-mail received by and sent from a personal computer is also often stored on a hard drive. Unfortunately, over time personal computers may encounter software and/or hardware problems which destroy computer files stored on a hard drive. Unless the individual proactively and regularly performs backups of computer files located on the hard drive of their personal computer, important, difficult to replace, personal electronic documents may be lost due to a hardware or software problem. Even if the documents are backed-up on removable media such as a tape, portable disk or CD, the portable media itself may become corrupted, unreadable, obsolete, or lost. As a result, there exists a need for a system and method of storing important personal electronic documents which can preserve the integrity of the documents for long periods of time.

With the enactment of electronic signature laws at the state and federal levels, individuals are likely to encounter more opportunities to generate and electronically sign electronic documents. Many electronic signature systems use public key encryption methods to generate and validate electronic signatures. When signing an electronic document an individual uses a secret private key to generate a digital signature for the electronic document. Such a private key is generally associated with a public key. Another party may use the public key to authenticate the electronic document and digital signature. Such public keys are often distributed as part of a digital certificate which is digitally signed by a trusted third party certificate authority.

Although the digital certificate and public key may be publicly disclosed to the world, the private key must remain a secret to prevent forgeries. When a person wishes to digitally sign a document, the user must employ a computer program which has access to the private key. As with

encryption software, many individuals do not have the technical skill to successfully install and use digital signature programs on their personal computers. Consequently there exists a need for a system and method of digitally signing electronic documents which can be easily employed by  
5 individuals.

In general, when a digital signature program belongs to a person using the program, that person may have reasonable assurance that the person's private key will be kept a secret by the program. In addition the person has reasonable assurance that the electronic document being signed corresponds to  
10 the electronic document that was read and reviewed by the person. Unfortunately, if the digital signing program belongs to an untrusted party, the individual has very little assurance that a private key inputted by the individual will remain a secret and/or that the electronic document that was read and reviewed by the individual is the actual document being digitally signed. As a  
15 result there exists a need for a system and method of protecting the confidentiality of private keys used to digitally sign electronic documents. There also exists a need to provide a system and method of digitally signing electronic documents which provides additional assurance to individuals that the process is a safe substitute for signing paper documents.

20

#### DISCLOSURE OF INVENTION

It is an object of an exemplary form of the present invention to provide a system and method which can be easily employed by individuals for protecting electronic documents.

25

It is a further object of an exemplary form of the present invention to provide a system and method of storing electronic documents which can preserve the integrity and confidentiality of the electronic documents for long periods of time.

It is a further object of an exemplary form of the present invention to  
30 provide a system and method which can be easily employed by individuals for

digitally signing electronic documents.

It is a further object of an exemplary form of the present invention to provide a system and method of protecting the confidentiality of private keys used to digitally sign electronic documents.

5 It is a further object of an exemplary form of the present invention to provide a system and method of digitally signing electronic documents which provides further assurance to individuals that digital signing of electronic documents is a safe substitute for signing paper documents.

10 Further objects of exemplary forms of the present invention will be made apparent in the following Best Modes for Carrying Out Invention and the appended claims.

The foregoing objects may be accomplished in an exemplary embodiment by a system and method of storing and digitally signing electronic documents with automated transaction machines. An example of an  
15 automated transaction machine which may be used by individuals or users with exemplary embodiments includes an automated teller machine ("ATM"). ATMs enable customers to carry out banking transactions. Common banking transactions that may be carried out with ATMs include the dispensing of cash, the receipt of deposits, the transfer of funds between accounts, the  
20 payment of bills and account balance inquiries. The type of banking transactions a customer can carry out are determined by the capabilities of the particular machine and the programming of the institution operating the machine. Other types of automated transaction machines may allow customers to charge against accounts or to transfer funds. Other types of automated  
25 transaction machines may print or dispense items of value such as coupons, tickets, wagering slips, vouchers, checks, food stamps, money orders, scrip or travelers checks. For purposes of this disclosure references to an ATM, an automated transaction machine, or an automated banking machine shall encompass any device which carries out transactions including transfers of  
30 value.



An exemplary embodiment of the ATM may include at least one output device such as a display screen, audio system, and printer. The ATM may also include at least one input device such as a touch screen, function keys, keypad, keyboard, and/or card reader. The ATM may further include  
5 devices such as a dispenser mechanism for sheets of currency, a receipt printer mechanism, a card reader/writer, a depository mechanism and other transaction function devices that are used by the machine in carrying out transactions including transfers of value.

The ATM may include or be in operative connection with at least one  
10 computer. The computer may be in operative connection with the output devices and the input devices, as well as with the transaction function devices in the machine. The computer may include software components and programs that are executed therein. In an exemplary embodiment, at least one software component may be operative to cause the computer to provide a user  
15 interface through the display device or other output device of the machine, which enables users to store and retrieve electronic documents from a digital safe deposit box or account associated with the user. In one exemplary embodiment a digital safe deposit account includes an amount of file storage space maintained by a storage server in operative connection with the ATM.  
20 The exemplary ATM is operative to communicate with the storage server and cause the storage server to maintain electronic documents which are stored in association with the user's digital safe deposit account. In one exemplary embodiment, the ATM is operative to have the storage server store, retrieve, copy, and delete electronic documents stored in the user's digital safe deposit  
25 account. In addition the exemplary storage server is configured with operative hardware, software, and backup technology to preserve the integrity of the electronic files for long periods of time. Exemplary embodiments of the storage server are also operative to encrypt the electronic documents such that only authorized individuals may access the electronic documents.

Exemplary embodiments of the ATM may enable a user to retrieve an electronic document from an external source and store the retrieved document in the user's digital safe deposit account. External sources for example may include a portable storage medium such as a CD, a portable computing device  
5 such as a mobile phone, and/or a network accessible storage location. In exemplary embodiments, the ATM includes a portable storage medium reading device that is operative to read electronic documents from a portable storage medium. Examples of portable storage medium reading devices for use with exemplary embodiments include portable hard drive readers such as  
10 an Iomega Jaz® drive; magneto optical drives such as an Iomega Zip® drive; flash memory drives for writing to flash memory devices such as CompactFlash and Sony Memory Stick®; PC Cards Interfaces; CD drives, DVD drives; Mini-CD drives; smart cards; floppy disk drives; and digital tape drives.

15 The exemplary ATM may further enable users to view and/or listen to the contents of electronic documents through an output device of the machine. The exemplary ATM for example, may include document output software components which may be operative to cause the computer of the ATM to output corresponding visual representations of the electronic documents  
20 through a display device of the ATM. Examples of document output software components which may be operatively used with exemplary embodiments include an Adobe® PDF viewer, HTML or XML browser, a word processor, or any other software application which is operative to read or access an electronic document and output a visual representation of the accessed  
25 electronic document. The exemplary ATM may further include document output software components that are operative to output audible representations of the electronic documents through an audio device of the ATM. For example, electronic documents may include text which is both displayed through a display screen and converted into audible speech which is  
30 outputted through speakers of the ATM. Also, the ATM may further be

operative to print a visual representation of the electronic document through a printer device.

5 In an alternative exemplary embodiment, users may have access to electronic documents stored in the digital safe deposit account through a public network such as the Internet. In one exemplary embodiment, the present invention may enable users to choose to add Internet access to their digital safe deposit account in addition to ATM access to their digital safe deposit account. Users may or may not enable Internet access depending on the sensitivity and type of electronic documents stored in the digital safe deposit account.

10 An exemplary ATM may be operative to digitally sign electronic documents. In one exemplary embodiment, the ATM may include digital signature software components which are operative to sign electronic documents using public key cryptography algorithms and protocols, or other digital signature algorithm and protocol. For example, the exemplary digital signature software may be operative to sign electronic documents using a private key associated with the user. In one exemplary embodiment the private key may be stored by a storage server in association with a digital safe deposit account of the user. After authenticating the user, the exemplary ATM may be operative to cause an electronic document to be digitally signed using the private key securely stored by the storage server. Once an electronic document has been caused to be signed by the exemplary ATM, the ATM may be operative to send the signed electronic document to a location of the user's choosing such as the digital safe deposit account associated with the user or an external source such as a portable storage medium, portable computing device and/or network accessible storage location.

25 In some exemplary embodiments, the exemplary ATM may be operative to sign electronic documents with a private key of a user that is stored on an external source such as a portable computing device. For example, the private key of the user may be securely stored on a smart card.

An exemplary embodiment of the ATM may include a smart card reader which is operative to communicate with the smart card for purposes of signing an electronic document.

5           The exemplary storage server or an external source such as a smart card, may require a password or biometric data from the ATM prior to enabling a digital signature to be generated using the private key of the user. The exemplary ATM may include input devices such as a keypad or a biometric reading device which a user may use to input a required password such as a PIN, or biometric data.

10           In one exemplary embodiment, the ATM may be operative to retrieve the private key from the storage server or an external device for purposes of generating the digital signature with the ATM. In some exemplary embodiments, the system may be configured such that the ATM does not require that the private key be retrieved by the ATM. In this exemplary  
15           embodiment, the ATM is operative to generate a one-way hash of the electronic document such as a message digest, cryptographic checksum, message integrity check, or manipulation detection code. The one-way hash may then be forwarded to the storage server, smart card, or other secure external source which has secure access to the private key. The storage server,  
20           smart card, or other secure external source may then generate a digital signature responsive to the one-way hash, private key and the appropriate encryption or digital signature algorithm. The storage server, smart card, or other secure external source may then return the digital signature to the ATM. The ATM may then attach the digital signature to the electronic document  
25           prior to storage in the digital safe deposit account or prior to sending the electronic document to an external source.

          In an exemplary embodiment, the ATM may forward the electronic document to the storage server, smart card, or other external source. In this embodiment the storage server, smart card, or other external source is  
30           operative to generate the digest and the corresponding digital signature from

the received electronic document and then forward the digital signature and/or electronic document back to the ATM. It is to be understood that exemplary embodiments encompass the use of any digital signature algorithm and key management system which is operative to enable an ATM to securely sign electronic documents. Examples of cryptographic algorithms which may be used with the present exemplary invention include RSA and DSA.

In some exemplary embodiments, the digital safe deposit account and/or a user's private key may be associated with a banking or other financial account of the user such as a checking account, savings account, debit account and/or credit account. A user may access the digital safe deposit account and/or digital signature features of the exemplary ATM by inserting an ATM card, bank card, credit card, or any other card which is associated with the user's financial account. After a user inputs a corresponding password such as a PIN or biometric information into an input device of the ATM, the exemplary ATM may be operative to enable the user to select transaction functions of the ATM such as the dispensing of cash, transfers, deposits, bill payment, and balance inquiry. In addition the exemplary ATM may be operative to enable the user to display and digitally sign electronic documents with a private key associated with the user's financial account. Further, the exemplary ATM may be operative to enable the user to access and maintain electronic documents stored in a digital safe deposit account which is associated with the user's financial account.

In embodiments where a user's digital safe deposit account and/or private key is not associated with a financial account card, a user may be issued a digital safe deposit account card with machine readable indicia thereon which corresponds to the user's digital safe deposit account. ATMs of exemplary embodiments may be operative to enable a user to access his/her digital safe deposit account and sign electronic documents responsive to reading the machine readable indicia from the digital safe deposit account card.

In addition, the exemplary ATM may be operative to enable a user to generate private and public keys for digitally signing electronic documents. Also, the exemplary ATM may be operative to enable a user to acquire and/or purchase a digital certificate such as an X.509 certificate using the ATM. The  
5       exemplary ATM may be in operative connection with a certificate authority and may be operative to send the certificate authority sufficient information to enable the certificate authority to generate and issue the certificate to the user. Such digital certificates may be used to authenticate the user's digital signature created using the exemplary ATM. The exemplary ATM may be operative to  
10       store the digital certificate in the user's digital safe deposit account and/or in association with the user's financial account. As with other electronic documents, the exemplary ATM may be operative to send the digital certificate to an external source of the user's choosing. When signing an electronic document, the exemplary ATM may be operative to associate the  
15       digital certificate with the signed electronic document. Other parties may use the digital certificate to authenticate the digital signature of the electronic document. In this described exemplary embodiment, the ATM may be operative to cause the costs associated with purchasing a digital certificate to be charged against the financial account of the user or another party. If the  
20       user already has a digital signature, an exemplary embodiment may be operative to retrieve the digital certificate from an external source selected by the user. The exemplary ATM may be operative to associate a retrieved digital certificate with electronic documents being signed by the ATM. The exemplary ATM may further be operative to have the exemplary storage server  
25       store the retrieved digital certificate in the digital safe deposit account of the user and/or in association with a financial account of the user.

As discussed previously, the exemplary ATM may be operative to read the electronic document and output through a display device of the ATM a visual representation of the electronic document. In addition, the exemplary  
30       ATM may further be operative to enable a user to input through an input

device of the ATM, information into the electronic document. For example, an electronic document such as a contract may include fields for entering the names of the contracting parties, a description of the goods, and an amount of consideration being paid for the goods. The exemplary ATM may be  
5 operative to enable a user to input or select text, numbers, and other information for incorporation into the electronic document prior to signing the document. In addition exemplary embodiments of the ATM may be operative to access a data store of user information. Such a data store may be used to retrieve information for automatically populating input fields of an electronic  
10 document being viewed and edited by the ATM.

#### BRIEF DESCRIPTION OF DRAWINGS

Figure 1 is a schematic view representative of a first exemplary embodiment of an ATM.

15 Figure 2 is a schematic view representative of an exemplary embodiment of a system for storing and digitally signing electronic documents with an ATM.

Figures 3-8 are schematic views representative of exemplary embodiments of user interface screens of an ATM.

20 Figures 9-14 are schematic views representative of exemplary embodiments of ATM systems for digitally signing documents.

Figure 15 shows a schematic view of a document signing system of a further exemplary embodiment.

25 Figure 16 shows a top plan view of an exemplary embodiment of a portable machine that is operative to digitally sign electronic documents.

Figure 17 shows steps for an exemplary embodiment of a method for signing electronic documents.

Figure 18 shows a schematic view of a document signing system of a further exemplary embodiment.

30

Figure 19 shows an exemplary embodiment of a user interface screen of an ATM.

### BEST MODES FOR CARRYING OUT INVENTION

5 Referring now to the drawings and particularly to Figure 1, there is shown therein a schematic view of an exemplary automated transaction machine, ATM 10 of an exemplary embodiment. The ATM 10 may include at least one computer processor 12 and a plurality of software components 11. The computer processor 12 may be operative responsive to the software  
10 components 11 to control the operation of the ATM. In the exemplary embodiment the computer processor 12 may be operatively programmed to enable the ATM to perform at least one of the following functions: at least one banking transaction such as the dispensing of cash; the storage and retrieval of electronic documents; and/or the digital signing of electronic documents.

15 To perform these functions the ATM may further include in operative connection with the computer processor 12, at least one output device 14 such as a display device 18, at least one input device 16, and a card reader 20 which also serves as an input device. In some embodiments, the ATM may also include in operative connection with the computer processor 12, one or more  
20 transaction function devices. Transaction function devices may include for example a cash dispenser 24, a depositor 22, a receipt printer 25 and other devices. The ATM 10 may further be operative to communicate with at least one financial transaction processing computer or system which is operative to carry out financial transfers and authorizations, which in this example is host  
25 banking system 30. ATM 10 also may be enabled to communicate with at least one storage server 32. In the exemplary embodiment the storage server 32 may be in operative communication with at least one data store 34. Also in an exemplary embodiment, the ATM 10 may be operative to communicate with the at least one storage server 32 through communication with the host  
30 banking system 30.



In one exemplary embodiment the storage server may be responsive to a plurality of ATMs 10 to securely store and maintain a plurality of electronic documents 42 in digital safe deposit boxes or accounts 40. Such digital safe deposit accounts may correspond to individual file storage locations on the data store 34. The electronic documents 42 may include for example digital representations of physical documents, word processing documents, HTML files, XML files, other markup language documents, Acrobat® PDF files, spreadsheet files, digital certificates, image files, sound files, audio visual files, source code files, application specific storage files, electronic voting ballots, or any other type of digital file which is operative to store information in a computer readable format. A user may establish one or more digital safe deposit accounts 40 and use an ATM 10 to store and maintain electronic documents 42 in association with his/her digital safe deposit account.

The exemplary embodiment of ATM 10 may be operative to display the viewable contents of an electronic document on the display device 18 and enable a user to digitally sign the electronic document. In many digital signature algorithms, the signer must use secret information such as a private key to generate the digital signature. In one exemplary embodiment, a user's private key 44, may be stored in a user's digital safe deposit account or stored in association with a user's digital safe deposit account 40. In exemplary embodiments, a user's private key 44 may further be stored in association with a user's financial account such as a credit card account, debit card account, checking account, savings account or any other financial account of the user. In addition, as will be further discussed below, exemplary embodiments of the ATM 10 and/or storage server 32 may be operative to digitally sign electronic documents using the private key 44 associated with the user's digital safe deposit account 40 and/or a financial account.

It should be understood that the ATM 10 is an exemplary embodiment and in other embodiments automated transaction machines may include other or additional devices and may operate in other types of systems. For example,

embodiments may include in operative connection with the computer processor 12, a data store including a storage device drive 26, and a communication port 28 which serves as an input/output device. The storage device drive 26 serves as a data store and enables the computer processor to read and/or write electronic documents to an external source 56 such as portable storage medium 36. The communication port 28 enables the computer processor to read and/or write electronic documents to external sources 56 such as a portable computing device 38 or a network accessible storage location 58.

Figure 2 schematically shows an exemplary embodiment of the ATM 10 that may be operative to store and maintain electronic documents 42 in a digital safe deposit account 40. The exemplary embodiment of the ATM 10 may include a display device 18 such as a CRT monitor or LCD display. The display device may be operative responsive to the computer processor to output user interface indicia 46. The user interface indicia may include instructional outputs for operating the ATM as well as content indicia which are representative of lists of electronic documents that may be accessed by the ATM 10 or portions of an electronic document which are operative to be viewed on the display device 18. Some exemplary embodiments may further include other output devices 14 such as a sound system 19 that is operative to output audio content that corresponds to an electronic document. For example when an electronic document includes audio information such as an MP3 file, an ATM 10 may be operatively programmed to cause the sound system to output sound in response to the MP3 file. In addition, if the electronic document includes language information such as text, an exemplary embodiment may include a speech synthesizer device or software that is operative to read the language information to a user by outputting spoken words through the sound system of the ATM 10.

The exemplary embodiment of the ATM 10 may also include at least one input device 16 such as a keypad 50 or selection buttons 52. The input

device(s) such as a keypad 50 and selection buttons 52 may enable users to enter operational inputs such as a personal identification number (PIN) corresponding to an account, an amount of cash to withdraw, or a selection of a particular electronic document to view, store and/or digitally sign. Some  
5 exemplary embodiments of the ATM 10 may further include a biometric reading input device 54 such as a fingerprint reader, iris scanner, retina scanner, voice recognition device, facial recognition reader or other device which is operative to enable a user to input user identifying biometric information. Such identifying biometric information may be used by an  
10 exemplary embodiment of the ATM 10 to further authenticate a user prior to enabling the user to perform transaction functions, access a digital safe deposit account, and/or digitally sign an electronic document.

In exemplary embodiments, the ATM may include other or additional types of input devices for entering information, such as a touch screen device,  
15 a speech recognition system, a track ball, and/or a digitizing signature pad 53. The digitizing signature pad 53 is operative to produce a digital representation or scan of a handwritten signature drawn on the pad 53 with a pen or an inkless stylus 55. Such a digitized scan of the handwritten signature may be captured by the ATM 10 and integrated into electronic documents that are  
20 digitally signed by the ATM.

As discussed previously, the ATM 10 may include a card reader 20. The card reader 20 may be operative to read indicia corresponding to account information or other information from a user's card. The card may be a bank card, credit card, debit card, gas card, merchant card, smart card, or other  
25 medium that is operative to store account data and/or other information which may be used to identify a user or their accounts. Such account data may include an account number of a checking, savings, debit, credit, or other banking or financial account. Such account data may further include data representative of a digital safe deposit account of the user.

In one exemplary embodiment, a digital safe deposit account, a private key 44, and/or a digital certificate 45 may be associated with a financial account 48 of the user. When the user uses the exemplary ATM 10 with a card associated with the financial account 48, the exemplary ATM may be operative to automatically provide the user with access to the user's associated digital safe deposit account 40, private key 44, and/or digital certificate. For example, when a user inserts a credit or debit card in the card reader 20, the exemplary ATM may be operative to read the credit or debit account number from the card. This number may be used by the ATM to access the financial account through communication with the host banking system 30. In one exemplary embodiment, the private key of the user may be directly associated with the financial account of the user and the ATM is operative through communication with the host banking system to cause an electronic document to be digitally signed responsive to the private key associated with the financial account. In some embodiments, the user's digital safe deposit account 40 may be associated with the user's financial account 48 and the ATM may be operative to receive access to the digital safe deposit account 40 through communication with the host banking system.

An exemplary embodiment of the ATM 10 may be operative to dispense a selected amount of cash to the user from the cash dispenser 24, and to debit a banking or financial account through communication with a financial transaction computer such as the host banking system 30. The exemplary ATM 10 may be configured to debit user fees from a financial account of the user for storing, viewing, and digitally signing electronic documents with the ATM. The ATM may further be configured to debit user fees from a financial account of a further party or entity which may be associated with the electronic document being viewed, stored, and/or digitally signed by the ATM.

The exemplary embodiment of the ATM 10 may include a storage device drive 26 such as a CD drive which is operative to accept a portable

storage medium 36 such as a read-only, write-once or rewriteable CD. The exemplary embodiment of the ATM 10 is operative to cause the storage device drive 26 to read electronic documents from the portable storage medium 36. The read electronic documents may be viewed on the display screen 18 of the ATM 10 and/or transferred to a digital safe deposit account 40. In addition the exemplary ATM may further be operative to retrieve electronic documents stored in the digital safe deposit account 40, view them on the display device 18 and/or cause the storage device drive 26 to record the electronic document to the portable storage medium 36. Examples of other types of storage device drives that may be used with embodiments include portable hard drive readers such as an Iomega Jaz® drive; magneto optical drives such as an Iomega Zip® drive; flash memory drives for writing to flash memory devices such as CompactFlash and Sony Memory Stick®; DVD drives, Mini-CD drives, and digital tape drives.

Some embodiments may include one or more communication ports 28 that are operative to retrieve and record electronic documents to a portable computing device such as a mobile phone 38 or a network accessible storage location 58 associated with a customer selected or inputted URL, e-mail address, or other network address. Examples of suitable communication ports 18 may include a Universal Serial Bus (USB) port, a serial RS-232 port, parallel port, an infrared (IR) port, a radio frequency (RF) port such as Bluetooth, an IEEE-1394 port, or a network port such as a wired Ethernet or wireless Ethernet (IEEE-802.11x) connection. Examples of other types of portable computing devices that may be accessed with embodiments of the ATM 10 include a portable computer such as a notebook computer and a personal digital assistant (PDA).

The exemplary embodiment of the ATM 10 may further include a fascia 59 through which the one or more of the input devices, display devices, and transaction function devices are accessible to a user. The ATM 10 may further include a visible indicia 57 adjacent the fascia 59 of the ATM, visible

on the display screen or otherwise communicated to a user of the machine.

The visible indicia 57 may include a logo, design, or text that serves as a source indicator mark for a digital signature service or network. Such a mark may correspond to a service mark of the entity that operates the servers, data stores, host systems, and/or network through which the ATM 10 communicates to produce electronic signatures for an electronic document displayed by the ATM 10. Such indicia may be visually similar to indicia on a card of the user, so that the user can quickly determine that the ATM is capable of digitally signing documents using the card of the user. Such indicia may also serve to confirm to the user that the ATM is associated with a third party and independent digital signature service or network that can be trusted to accurately display the electronic document and to securely digitally sign the electronic document for the user.

Figures 3-8 show examples of user interface screens of an exemplary embodiment of the ATM 10. Figure 3 shows an example of a user interface screen 100 which ATM 10 may be operative to cause to be output through the display device 18. In one exemplary embodiment user interface screen 100 may be displayed after a user activates the ATM 10 by placing a card into card reader 20 and inputting a PIN into the keypad 50. User interface screen 100 may include a plurality of user selectable functions 102 which include the option of withdrawing cash 104 from the cash dispenser 24; the option of depositing a check 106 with the depositor 22; the option of transferring value between accounts 108; and the option of viewing an electronic document 110 with display device 18. Each of these selectable functions 102 may be adjacent a different selection button 52, which when pressed are operative to cause the ATM 10 to proceed with the corresponding function 102.

In one exemplary embodiment, when a user selects the option to view an electronic document 110, the exemplary ATM 10 may be operative to cause the user interface screen 120 shown in Figure 4 to be output through the display device 18. Here the user interface screen 120 may include a plurality

of selection functions 122 which correspond to different sources for retrieving electronic documents to view. In the presently described example, selection functions 122 may include the option to select electronic documents from a digital safe deposit account 124; the options 126-130 for selecting electronic documents from the external sources of a zip disk, local network which may include portable computing devices such as the user's PDA, and a secure internet/intranet site.

In response to a user selecting one of these electronic document sources, an exemplary embodiment of ATM 10 may be operative to cause the output of the user interface screen 140 shown in Figure 5. The user interface screen 140 may include a listing of electronic documents 142 that the ATM 10 has determined are present at the electronic document source selected with user interface screen 120. In response to a user selecting one of the listed electronic documents 142, an exemplary embodiment of the ATM 10 may be operative to cause the selected electronic document to be viewed through the display screen 18. Figure 6 is representative of an example of a user interface screen 160 which includes indicia representative of a selected automobile loan electronic document 162.

Exemplary embodiments of the ATM 10 may further include functionality for enabling the user to edit the displayed electronic document 162. For example in one exemplary embodiment, the ATM 10 may include software components for displaying through the output device 18 electronic documents which include HTML, DHTML, XML, Active X, .Net objects, plugins, Java script, and/or Java applets associated with the electronic document. Such features may generate input or selection fields on the display device, which can be completed or modified by operating the input devices of the ATM 10.

To further aid a user with the completion of fields in an electronic document, an exemplary ATM may further be operative to retrieve relevant information for completing input fields of an electronic document from a data

store of stored user information. The stored user information may be associated with the user's financial account and/or digital safe deposit account. The exemplary ATM may use the stored user information to automatically complete input fields of an electronic document. For example, the electronic document may include an input field labeled "ship\_to\_address." The stored user information may include address information which is associated with the description "ship\_to\_address." The exemplary ATM may be operative to retrieve matching user information from the data store and insert the matching user information in the input fields of the electronic document. When the user manually inputs information into an electronic document, exemplary embodiments of the ATM may further be operative to store the inputted information in the digital safe deposit account or other data store for later use with completing similarly labeled fields.

Once a user has completed reviewing and/or editing an electronic document, the exemplary embodiment of the ATM 10 may be operative to display a further user interface screen 170 as shown in Figure 7. User interface screen 170 may include a plurality of selectable functions 172 including the option to review the electronic document 174; the option to digitally sign the electronic document 176; the option to send the electronic document to another location 178; and the option of deleting the electronic document 180. In the described embodiment of ATM 10, the option to delete an electronic document 180 may be generally available when viewing an electronic document located in the user's digital safe deposit account.

When a user selects the option to digitally sign an electronic document 176, the exemplary embodiment of the ATM 10 may be operative to have a digital signature generated and attached to either the original or a copy of the electronic document. Exemplary embodiments may be operatively programmed to generate a digital signature using any digital signature algorithm and protocol. Examples of digital signature cryptography algorithms available for use with the present invention may include RSA and



DSA. In the exemplary embodiment an electronic document may be signed using a private key associated with the user. The digital signature may be verified at a later time by using a public key of the user which corresponds to the private key. Such a public key may be retrieved from a digital certificate of the user. In exemplary embodiments, the ATM may be operative to cause the digital certificate associated with the user to be attached to the electronic document when the electronic document is digitally signed. Also the ATM may be operative to cause the digital certificate associated with the certificate authority that signed the user's digital certificate to be attached to the electronic document.

For a digital signature to correspond to a legally binding signature of the user, the user may need to show his/her manifestation of intent to use a digital signature as a legally binding electronic signature. As a result, exemplary embodiments of the ATM 10 may provide additional user interface screens which require a user to affirmatively show such a manifestation of intent to create a legally binding electronic signature. For example, as shown in Figure 19, the ATM may output a user interface screen 182 which prompts the user to make an affirmative confirming input with an input device, that represents the intent of the user to create a legally binding electronic signature.

Some exemplary embodiments of the ATM 10 may cause a declaration to be attached to the electronic document that includes a statement that the user has affirmatively shown his intent to create a legally binding electronic signature with the generation of the digital signature. The ATM 10 may further cause such a statement and/or the entire electronic document to be digitally signed or digitally notarized by a further entity which affirms that the user provided an input to the ATM which represents the user's intent to create a legally binding electronic signature. The declaration and/or the electronic document may also be associated with a digital time stamp representative of the time the intent of the user was shown and/or when the digital signature was

created. Such a digital time stamp may be obtained by the ATM communicating with a digital time stamping server.

5 In some exemplary embodiments, the ATM 10 may prompt the user to hand write his/her signature on a digitizing signature pad. The ATM 10 may generate a digitized representation or scan of the handwritten signature in the form of a bitmap or vector drawing. The digitized representation of the written signature may then be incorporated into the electronic document by the ATM. A displayed or printed view of the electronic document may then include a visual representation of the customer's written signature.

10 When a user selects the option of sending an electronic document to another location 178, one exemplary embodiment of the ATM 10 may be operative to generate the user interface screen 190 as shown in Figure 8. User interface screen 190 may include a plurality of selection functions which correspond to different locations 192 to send a copy of the original or signed electronic document. In the presently described example, the selection functions 192 may include the option to send the electronic document to the digital safe deposit account 194, the options 196-200 to send the electronic document to the external sources of a zip disk, local network, and a secure internet/intranet site.

20 In one exemplary embodiment, the digital safe deposit account is associated with the private key of the user. In such embodiments the exemplary ATM 10 may include further user interface screens which enable a user to generate a private and public key set which may be associated with and/or stored in the user's digital safe deposit account. The private key may be used by the exemplary embodiment to sign electronic documents for the user.

25 Referring back to Figure 1, exemplary embodiments of the ATM 10 may further be in operative connection with a certificate authority 60. The exemplary ATM 10 may be operative to communicate with a certificate authority for purposes of creating a digital certificate such as an X.509 certificate which may be attached to the electronic document for purposes of

30

authenticating the digital signature created by a user. The exemplary ATM 10 may be operative to send the certificate authority information which identifies the user and a copy of the user's public key. In response, the certificate authority may be operative to generate and return a signed digital certificate which includes the identifying information and the user's public key. The digital certificate may then be attached to the electronic document by the ATM 10, stored in association with or in the user's digital safe deposit account and/or sent to an external source selected by the user. The ATM 10 may also receive a copy of the digital certificate associated with the certificate authority that issued and signed the user's digital certificate. Such a digital certificate of the certificate authority may also be attached to the electronic document, stored in association with or in the user's digital safe deposit account and/or sent to an external source selected by the user.

Figures 9-14 are schematic views of a plurality of different embodiments. Figure 9 shows an exemplary embodiment of an ATM 300 that may be operative to communicate with one exemplary embodiment of a storage server 302. Here the storage server may be operative to securely store private keys 304 associated with a plurality of different users. The exemplary private keys may be stored in association with digital safe deposit accounts and/or financial accounts such as a checking or savings account. In this described embodiment the ATM 300 may be operative to send an electronic document 306 associated with a user using the ATM 300 to the storage server 302. The storage server includes digital signature software 308 which may be operative to generate a digital signature 310 for the electronic document 306 using the private key 304 associated with the user. The storage server may then attach the digital signature to the electronic document and return the signed electronic document to the ATM 300 or the storage server may only send the digital signature 310 to the ATM 300. The exemplary ATM 300 may then attach the digital signature 310 to the electronic document 306 and

forward the signed electronic document to a selected destination location chosen by the user.

5 In the exemplary embodiment, the digital signature software may include the RSA algorithm. However in some exemplary embodiments, the digital signature software may include other or additional digital signature software/hardware. In embodiments where the server includes more than one type of digital signature software/hardware, the exemplary ATM 300 may be operatively programmed to enable users to select the type of digital signature they would like the ATM to generate for the electronic document.

10 Figure 10 shows an exemplary embodiment of an ATM 320 that may be operative to communicate with an exemplary embodiment of a storage server 322. Here the storage server 322 may also be operative to securely store private keys 324 associated with a plurality of different users. However, in this described embodiment, rather than sending the storage server 322 a complete copy of the electronic document 326, the exemplary ATM 320 may be operative to generate and send the storage server 322 a one-way hash 332 of the electronic document 326. The exemplary ATM 320 may include one or more one-way hash algorithms 334 which correspond to the digital signature protocols which the user wishes to use for signing his electronic document.

15 20 For example, for generating digital signatures, exemplary one-way hash algorithm 334 of ATM 320 may include the one-way hash functions MD5 or SHA.

Here the storage server 322 may include one or more encryption and/or digital signing algorithms 328 such as RSA which are operative to generate a digital signature 330 for the electronic document 326 using the one-way hash 332 and the private key 324 associated with the user. The storage server may then return the digital signature 330 to the ATM 320 and the ATM 320 may attach the digital signature 330 to the electronic document 326.

25

Figure 11 shows an exemplary embodiment of an ATM 340 that may be operative to communicate with an alternative exemplary embodiment of a

30

storage server 342. Here the storage server 342 may also be operative to securely store private keys 344 associated with a plurality of different users. However, in this described embodiment, the storage server 342 may be operative to securely send a private key of a user to the ATM 340. The  
5 exemplary ATM 340 may include digital signature software 348 which is operative to cause the ATM 340 to generate a digital signature 350 for an electronic document 346 of the user operating the ATM 340.

Figure 12 shows an exemplary embodiment of an ATM 400 that may be operative to communicate with a portable computing device 402 associated  
10 with a user such as a smart card, PDA, or mobile phone. Here the portable computing device 402 may include at least one private key 404 associated with the user. In this described embodiment, after the user has viewed an electronic document 406 associated with the user, the ATM 400 may be operative to send the electronic document 406 to the portable computing device 402. The  
15 exemplary portable computing device may include digital signature software 408 which is operative to generate a digital signature 410 for the electronic document 406 using the private key 404 stored on the portable computing device. The portable computing device 402 may then attach the digital signature 410 to the electronic document 406 and return the signed electronic  
20 document to the ATM 400 or the portable computing device may only send the digital signature 410 to the ATM 400. The exemplary ATM 400 may then attach the digital signature 410 to the electronic document 406 and forward the signed electronic document to a selected destination location chosen by the user.

25 Figure 13 shows an exemplary embodiment of an ATM 420 that may be operative to communicate with a portable computing device 422. Here the portable computing device 422 may also include at least one private key 424 of the user. However, in this described embodiment, rather than sending the portable computing device 422 a complete copy of the electronic document  
30 426, the exemplary ATM 420 may be operative to generate and send the

portable computing device 422 a one-way hash 432 of the electronic document 426. The exemplary ATM 420 may include one or more software components with one-way hash algorithms 434 that correspond to the digital signature protocols which the user wishes to use for signing his electronic document 426. Using the one-way hash algorithms 434, the ATM 420 may be operative to produce a one-way hash 432 of the electronic document 426 and forward the one-way hash 432 to the portable computing device 422.

The exemplary portable computing device 422 may include one or more encryption and/or digital signing algorithms 428 which are operative to generate a digital signature 430 for the electronic document 426 using the one-way hash 432 and the private key 424 associated with the user. The portable computing device 422 may then return the digital signature 430 to the ATM 420 and the ATM 420 may attach the digital signature 430 to the electronic document 426.

Figure 14 shows an exemplary embodiment of an ATM 440 that may be operative to communicate with an exemplary portable computing device 442. Here, the portable computing device 442 may include at least one private key 444 of the user. However, in this described embodiment, the portable computing device 442 may be operative to securely send the private key 444 of a user to the ATM 440. The exemplary ATM 440 may include digital signature software 448 which is operative to cause the ATM 440 to generate a digital signature 450 for an electronic document 446 of the user operating the ATM 440.

Referring back to Figure 1, the exemplary storage server 32 may be operative to maintain an access log 62 in association with the digital safe deposit account 40 and/or the financial account 48 of the user. The exemplary storage server 32 may be operative to store in the access log 62 a record of each attempted access of a user's digital safe deposit account 40 and/or use of the private key 44. If an imposter gains access to a user's digital safe deposit account and/or private key, the exemplary access log may be used to determine

when and where the unauthorized access occurred. The exemplary access log may further include a record of which electronic document was signed by the system. The record for example may include the one-way hash of the electronic document. If an imposter uses the present exemplary system to  
5 digitally sign an electronic document, the access log may be reviewed to determine what document may have been forged.

Some exemplary embodiments of the ATM may be operative to encrypt electronic documents stored in the digital safe deposit account using a symmetrical encryption algorithm such as DES and a secret key. The  
10 exemplary ATM may be operative to enable a user to generate a secret key for encrypting electronic documents from a password or from biometric information inputted by the user into the ATM. To decrypt the electronic documents, the exemplary ATM may be operative to regenerate the secret key by prompting the user to re-enter the password and/or biometric data.

15 In addition to causing an electronic document to be signed, an alternative exemplary embodiment of an ATM may be operative to digitally sign, notarize and/or cosign an electronic document using a private key associated with the ATM, storage server, digital signature service/ network, or a third party. For example, in addition to enabling a user to digitally sign an  
20 electronic document using his private key, the exemplary ATM may also cause the electronic document to be further digitally signed using a further private key not associated with the private key of the user. Such a further private key may be associated with an authorized notary public, a digital signature service, or another party to a transaction which is associated with the electronic  
25 document. The exemplary ATM may further attach the digital certificate associated with the further private key to the signed electronic document. Such a digital certificate can be used to verify the authenticity of the second digital signature. Also the digital certificates associated with the certificate authorities which issued and signed either or both of the user's digital  
30

certificate and a digital certificate of the notary public or other party may also be attached to the electronic document.

5 In an exemplary embodiment, the ATM may be operative to attach a digital time stamp to the electronic document by including the current date and time in the electronic document prior to the electronic document being digitally signed by the user of the ATM. In some exemplary embodiments, the ATM may be operative to cause an electronic document to be digitally time stamped by a document time stamping entity or server. For example, the exemplary ATM may send a one-way hash of the electronic document to a  
10 time stamping entity. That time stamping entity would be operative to attach time data representative of the date, time and time zone at which the time stamping entity received the one-way hash. The time stamping entity may then digitally sign the one-way hash and time data with a private key of the time stamping entity to form a digital time stamp. This digital time stamp may  
15 then be returned to the ATM along with a digital certificate of the time stamping entity. The ATM may then attach the digital time stamp and the digital certificate of the time stamping entity to the electronic document. In some embodiments, the digital time stamping entity may correspond to the same entity, service, or network that is operative to produce the digital  
20 signature for the user of the ATM.

Figure 15 shows an example of a document signing system of one exemplary embodiment. Here the system 500 may include at least one ATM 510 that is operative to display and digitally sign electronic documents. The ATM 510 may further be operative to communicate with one or more servers  
25 508 including servers associated with a financial transaction processing system, host banking system, document processing system, or a digital signature service or network.

In addition the ATM 510 may be operative to receive electronic documents from at least one personal computer (PC) 512 or other computing  
30 devices through a wired or wireless network 516. In this described



embodiment, ATM 510 may include or be in operative connection with a shared or externally accessible network drive 514 that is operative to store incoming and outgoing electronic documents. Such a shared network drive may be segregated into one or more locations such as an "in-box" and an "out-box" storage area.

The PC 512 may selectively be given permission to access the shared network drive 514 or a portion of the shared network drive such as an "in-box" associated with the ATM 510. Electronic documents created by the PC 512 may then be saved, exported and/or sent to the shared network drive 514 of the ATM 510. A user operating the ATM 510 may select commands of the ATM which cause the ATM to display and digitally sign electronic documents stored in the shared network drive 514. Digitally signed versions of the electronic document may then be saved, exported, or sent to the shared network drive 514 or a portion of the shared network drive such as an "out-box" of the shared network drive 514. The PC 512 or another computing device may then retrieval the signed document from the shared network drive 514. The ATM 510 may also be in operative connection with a printer 518 and may include selectable options for printing the digitally signed electronic document to the printer.

Exemplary embodiments of the ATM 510 may include transaction function devices such as a cash dispenser and a depository device which enable the ATM to perform other types of transaction functions such as the dispense of cash and the deposit of checks. However, some exemplary embodiments of the ATM 510 may be configured in a different form such as a portable form which does not dispense cash or receive deposited checks. An example of such a portable form of an ATM is shown in Figure 16. Here the exemplary embodiment of the portable ATM 520 may include a magnetic swipe card reader 522 or other card reader, a display screen 524, and a digitizing signature pad 526. The exemplary ATM 520 may further include function keys 528 for providing inputs to the ATM. Further exemplary

embodiments of the display screen 524 may include a touch screen for providing inputs to the ATM and a communication device 527 such as a wireless or wired network interface.

Referring back to Figure 15, the exemplary embodiment of the ATM 510 may be used by organizations which wish to offer users the ability to safely and securely digitally sign electronic documents. Such organizations may include banks, mortgage companies, title companies, S&Ls, insurance companies, car dealerships, leasing companies, universities, hospitals, government agencies, or any other organization that generates documents which require signatures by their customers. The exemplary ATM 510 provides the customers or clients of the organization or other users with a convenient method to view and digitally sign electronic documents.

Figure 17 shows exemplary steps involved with the operation of the system 500. Here the method steps are described with respect to a car dealership; however, it is to be understood that the exemplary steps may also apply to any organization, entity, group or individual that wishes to have users digitally sign electronic documents. The method may begin in step 600 with a finance manager or other member of the organization preparing electronic documents which correspond to a car loan. Such an electronic document may include a word processing document, an Acrobat® PDF document, eXtensible Markup Language (XML) document, or any other type of document which may electronically represent a car loan.

In an exemplary embodiment, the electronic document may conform to a standardized loan format. Such a format may include standardized XML tags which describe information about the Lendor, Lendee, and terms of the loan. Such tags may include for example the names and addresses of the parties, the loan amount, the loan duration, the interest rate and any other term or category of information that may be part of the loan. Once the document is created, the finance manager in step 602 may save the electronic document to a storage location that is accessible to the ATM. For example, the finance

manager may save the electronic document to the "in-box" associated with the ATM.

In busy organizations which may process loan applications concurrently, multiple ATMs may be available for saving the electronic document. In such cases, the shared network drive may be associated with the name or identification of the particular ATM which is operative to access the electronic document from the shared network drive. Once the electronic document is saved to the storage location, the finance manager may direct the customer to begin using the particular ATM which is operative to retrieve the electronic document.

Once the customer has access to the ATM, the customer may follow the instructions displayed through the display screen of the ATM. If the customer already has a digital safe deposit account, digital certificate, and/or private key associated with a financial account, the customer may be prompted by the ATM to insert or swipe a card that is associated with the digital safe deposit account, digital certificate, and/or private key. For example if the customer has a checking account or a credit card which is associated with a digital safe deposit account, the customer may in step 604 insert or swipe his/her checking ATM card or credit card within the card reader of the ATM.

In response, the ATM may be operative to read the financial account number associated with the card in step 606 with the card reader and request that the customer input a PIN. In step 608 the customer may input a PIN through a keypad or through a touch screen which may be configured to display a visual representation of a keypad. In one exemplary embodiment, the PIN may correspond to the 4 digit PIN associated with the customer's financial account. In other exemplary embodiments, the PIN may correspond to a different password stored in association with the customer's digital safe deposit account, digital certificate, and/or private key. Such a password may include four or more digits and/or alphanumeric characters. In other

embodiments the ATM may prompt the user to provide biometric data as a password through use of a biometric reading device of the ATM.

For ATMs that are operative to perform many different types of transaction functions, the ATM may display a user interface screen similar to screen 100 of Figure 3 after the customer inputs a PIN. As discussed previously, user interface screen 100 may include selectable functions 102 for withdrawing cash, depositing a check, transferring value between accounts, and viewing an electronic document. For ATMs such as the portable ATM 520 of Figure 16, the ATM may immediately retrieve the electronic document stored in the "in-box" associated with the ATM and display a user interface screen similar to screen 160 of Figure 6. If more than one electronic document is present in the "in-box" the ATM may display a listing of available electronic documents to choose from. In each case the exemplary ATMs may be operative to retrieve an electronic document in step 610 from the storage location and display a visual representation of the document in step 612.

The customer may read through the document being displayed and make any necessary inputs of information that the electronic document may require. For example, the electronic document may include clauses which require a customer to affirmatively agree thereto. Such clauses may include user interface elements such as a checkbox, entry fields, and/or drop down list boxes which can be checked/unchecked, edited, and/or selected with the input devices of the ATM.

Once the document has been reviewed and updated with any necessary customer supplied information, in step 614 the customer may provide an input representative of a command to digitally sign the electronic document. In response, the ATM may in step 616 prompt the customer to provide a further input that is representative of a confirmation by the customer that the digital signature is intended to be the customer's legally binding signature. For ATMs that include a digitizing signature pad, this confirming input may include having the customer draw his/her handwritten signature on the

digitizing signature pad. The digital scan of the handwritten signature may then be integrated into the electronic document prior to digitally signing the document.

5 In response to receiving a confirming input, the ATM in step 618 may cause the electronic document to be digitally signed using a private key associated with the financial account read from the customer's card. Once the document has been digitally signed it may be associated with one or more digital certificates including the digital certificate associated with the financial account. Such a digital certificate includes the customer's public key which  
10 can be used to verify the digital signature on the electronic document. In other embodiments, the electronic document may include a serial number and/or a reference to an entity, address or URL where the customer's digital certificate may be retrieved to verify the digital signature. In some embodiments, the digital certificate of the certificate authority which issued and signed the user's  
15 digital certificate may be associated with the electronic document.

Once the electronic document has been digitally signed, the ATM in step 620 is operative to send the signed electronic document to one or more specified output addresses. Such a specified output address may include the original storage location where the ATM retrieved the unsigned electronic  
20 document. Such a specified output address may include a portion of shared network drive which corresponds to an electronic "out box." Such a specified output address may correspond to a network address, e-mail address, data base, URL, or any other external storage location or communication system which is operative to receive an electronic document. For example, in one  
25 exemplary embodiment the specified output address may include a URL of a document processing server. For example, if the electronic document corresponds to a car loan, the specified output address may be a document processing server of a bank that is lending money to the customer to buy the car.

Such a document processing server may verify the digital signature of the electronic document. If the signature is valid, the document processing server may parse the XML tags of the electronic document to determine the name and address of the party and the terms of the loan. Such information  
5 may then be integrated into the loan processing system of the bank to establish a loan account and to initiate processes necessary to collect payments from the customer. In other exemplary embodiments, the specified output address may correspond to a loan processing system that is operative to securitize the loan for resale to another bank or other entity. In other exemplary embodiments,  
10 the specified output address may correspond to any system that is operative to store and/or process the signed electronic document.

In one exemplary embodiment the specified output address may be a configurable parameter within the ATM. In other exemplary embodiments, the specified output address may be determined by the ATM from a parameter  
15 of the electronic document. For example, the electronic document may include an XML tag which includes an address for the specified output address. In exemplary embodiments where the customer's financial account is associated with a digital safe deposit account, the ATM may further cause a copy of the signed electronic document to be stored in the customer's digital  
20 safe deposit account which may be associated with the customer's financial account.

In the exemplary embodiment, the ATM in step 622 may cause a digital signature processing fee to be assessed to a party associated with the electronic document. The exemplary ATM is operative to cause a financial  
25 transaction processing system such as a host banking system or other server to record information associated with the processing fee in a database, log, or journal for immediate or delayed settlement. In an exemplary embodiment, the processing fee may be charged to the financial account associated with the customer's card. In other exemplary embodiments, the processing fee may be  
30 charged to an account associated with the organization that prepared the

unsigned electronic document. For example, the ATM may include a configuration parameter that corresponds to a financial account that may be assessed processing fees. In the case of a car dealership for example, the configuration parameter may include an account number associated with the car dealership or the bank providing the loan. In step 622 the ATM or the digital signature service or network servers associated with the ATM may communicate with a financial transaction processing system such as a host banking system to charge the processing fees to the account. In an exemplary embodiment, the electronic document may include an account number that is to be assessed the processing fees. For example the electronic document may include an XML tag for a fee processing account.

Also in some exemplary embodiments, the ATM may contact a financial transaction processing system such as a host banking system or other server to authorize the assessing of the processing fee to an account prior to digitally signing the document in step 618 or prior to sending the signed electronic document to a specified output address in step 620. If the account does not have sufficient funds to pay for the processing fee or otherwise is not able to accept a charge of a processing fee, the ATM may be operative to cancel the signing of the electronic document. The ATM may then output a visual message through the display screen of the ATM that indicates that the electronic document cannot be digitally signed.

The specified output address may correspond to a storage location that is accessible to the organization which created the unsigned document. For example, with reference to a car dealership, the specified output address may include the network drive which is accessible to the finance manager. The manager may then cause the electronic document to be printed out so that a hard copy view of the electronic document may be given to the customer. In other embodiments, the ATM may be in operative connection with a printer and may include a selectable option for printing out a hard copy of the electronic document.

In some exemplary embodiments where the electronic document was previously signed by one or more further parties, the ATM may include the step of validating the signature of the further party prior to enabling a user to digitally sign the electronic document. In the case of a car dealership for example, the finance manager may digitally sign the car loan prior to the ATM accessing the electronic document. The digital signature of the car dealership may be verified by the ATM prior to enabling the user to digitally sign the car loan. In such cases the electronic document may include the digital certificate associated with the further parties such as the car dealership. The electronic document may also include the digital certificates of the certificate authorities which signed the digital certificates of the further parties.

In the previously described embodiment, a financial account card of the customer was previously associated with the customer's digital safe deposit account, digital certificate, and/or private key. The exemplary embodiment may include a method for providing financial account cards with the ability to digitally sign electronic documents at an ATM. For example, a credit card issuer such as a bank may have a plurality of credit card accounts. As the credit card business tends to be highly competitive, adding a digital signing capability to the credit cards of the bank's customers may provide an additional incentive for the customer to carry and use the bank's issued credit cards.

This described embodiment of the method may include the bank or other entity creating individual digital certificates, public/private key pairs, and/or digital safe deposit accounts for a plurality of pre-existing financial accounts such as credit card accounts or other financial accounts. Such individual digital certificates, public/private key pairs, and/or digital safe deposit accounts may be stored in association with each of the financial accounts on one or more servers operated by the bank or a digital signature service or network.



Figure 18 shows a schematic view of an exemplary embodiment of a system 700 that may be operative to carry out this described method. Here the system 700 includes a plurality of banks 702, 704, or other financial organizations. Each of the banks includes a plurality of financial accounts 5 706, 708 such as credit card accounts. For each of these accounts, the banks may have a digital signature service or network entity 710 manage a digital certificate, public/private key pair, and/or digital safe deposit account in one or more storage servers 712.

The exemplary embodiment of the digital signature service or network 10 710 includes or is in operative communication with a host system 714. The host system is operative to provide a plurality of ATMs 716 with access to the services of the digital signature network 710. Such services may include for example the digital signing of electronic documents and the storage of electronic documents in digital safe deposit accounts. As discussed 15 previously, customers of the banks 702, 704 may use their credit cards or other cards associated with financial accounts to cause an ATM to digitally sign electronic documents. The processing fees acquired from the signing of electronic documents may be transferred or assessed to at least one of the entities that operates the digital signature network and the banks or other card 20 issuers. In one exemplary embodiment, the processing fees may be split between the entity that operates the digital signature network and the banks or other card issuers.

To advertise that the financial accounts of the customers may be used to digitally sign electronic documents, the described exemplary method may 25 include marking or branding the cards issued by the bank with a logo, design, or mark which indicates that the card may be used to digitally sign electronic documents. Such a logo may be a source indicator mark such as a trademark/service mark for the digital signature network 710. In addition, to enable a customer to more easily locate the ATMs 716 which may be used to 30 sign electronic documents, the ATMs 716 may include or output a matching

logo. For banks or other entities with a large number of preexisting financial accounts such as credit cards, the exemplary embodiment of the presently described method may include mailing replacement credit cards to the customers which include a mark such as a logo which indicates that the card may be used to digitally sign electronic documents. In one exemplary embodiment, the customers may use the PIN previously associated with their financial account to access an ATM for purposes of digitally signing an electronic document. In other exemplary embodiments, the bank may supply the user with a separate password for use with accessing the services of the digital signature network.

In some exemplary embodiments, the ATM may be operative to cause a new digital certificate to be created for a user for use with signing an electronic document. For example, if the user does not have a previously issued digital certificate, public/private key pair and/or digital safe deposit account associated with a smart card, portable computing device, financial account, credit card, and/or digital safe deposit account, the exemplary ATM may be operative to provide the user with a digital certificate, public/private key pair, and/or digital safe deposit account. In some exemplary embodiments, the ATM may enable the user to forward the newly created digital certificate to a smart card, portable storage medium, portable computing device, networked storage location, or other user selectable storage location or address for use in signing electronic documents in the future through the exemplary ATM or other digital signature software and devices. As will be discussed below, in some exemplary embodiments the ATM may enable a user to associate the newly created digital certificate, public/private key pair, and/or digital safe deposit account with a card selected by the user or issued to the user by the digital signature network.

As with regard to the fees associated with the signing of electronic documents, fees may also be caused to be assessed by the ATM for the creation of a digital certificate, a public/private key pair, and/or a digital safe

deposit account. As discussed previously, such fees may be accessed to a financial account of the user, a financial account stored in association with the ATM, or a financial account associated with the electronic document intended to be signed. For example, as in the previously discussed scenario of signing  
5 electronic documents related to car loans, the ATM may be operative to cause the fees associated with the creation of the digital certificate to be associated with the entity supplying the electronic documents such as the car dealership or financial institution issuing the loan.

The described exemplary embodiment of the ATM may prompt the  
10 user to enter through an input device of the ATM information about the user which is to be integrated into and/or associated with the digital certificate. Such information may include the name, address, and birth date of the user. The information may also include the user's social security number, passport number, driver's license number, national identification number, student  
15 number, or any other unique number associated with the user. The information provided for generating the digital certificate may also include a user provided password or other number for use with creating or accessing public/private key pairs, the public key thereof being integrated into the digital certificate.

20 To expedite the input of information into the ATM for generating the digital certificate, the ATM may be operative to retrieve user specific information for the digital certificate from an electronic document intended to be digitally signed using the ATM. For example, in the previous example scenario of a user signing loan documents for a car, the finance manager or  
25 other employee of the car dealership may input the user's name, address, social security number, birth date, drivers license number, and/or other user specific information into the electronic document that corresponds to the loan. Such information may be stored as XML data or another computer accessible format within or in association with the electronic document. Prior to the ATM  
30 enabling the user to sign the electronic document, the ATM may access the

user specific information associated with the electronic document. The information accessed from the electronic document in addition to any information requested to be inputted directly into the ATM by the user, may be caused to be integrated into a digital certificate by the ATM. In some  
5 exemplary embodiments, the ATM may output the user specific information through an output device of the ATM. The ATM may prompt the user to verify the accuracy of the information prior to causing digital certificate to be created.

In an exemplary embodiment, the ATM may cause the user specific  
10 information to be forwarded to a certificate authority which is operative to issue a signed digital certificate for the user. In some embodiments, the ATM may forward the user specific information to the previously discussed digital signature network, storage server, and/or other server which is operative to format the digital certificate and/or interface with the certificate authority to  
15 issue the digital certificate.

In an exemplary embodiment, the digital signature network may further be operative to authenticate the provided user specific information by contacting a credit reporting service 720 or other database of user information to compare and validate the provided user specific information. If the user  
20 specific information is invalid, inconsistent, or is otherwise suspect, the exemplary digital signature network may return a message to the ATM which is representative of a denial to generate a digital certificate for the user. Such a message may indicate the reasons for the denial.

Exemplary embodiments of the ATM may further acquire additional  
25 information from the user requesting the digital certificate including a biometric input, such as a fingerprint scan, a digital image of the user's face, iris scan, hand scan, or any other input which may be representative of the identity of the user. Such information may be integrated into or associated with the digital certificate. Such information may also be used to validate the  
30 identity of the user prior to creating the digital certificate.

In some exemplary embodiments, the ATM may further prompt the user to input a card, such as a credit card, smart card, drivers license, national identification card, or any other unique card which can be accessed by the card reader of the ATM to retrieve user specific information. Such user specific  
5 information may include an account number or other number stored on the card which can be forwarded to the digital signature network, financial transaction processing system such as a host banking system, or other server to be used to authenticate the identity of the user. In some exemplary embodiments, the ATM may further prompt the user to input through an input  
10 device of the ATM, a secret password or PIN associated with the card. The ATM may be operative to validate the inputted secret password or PIN through communication with the digital signature network, host banking system, or the card itself.

In some exemplary embodiments, the ATM may prompt the user to  
15 provide an input that indicates whether the user would like the newly created digital certificate, public/private key pairs and/or digital safe deposit account to be associated with a pre-existing financial account of the user such as a credit card or a bank card. In such cases, the exemplary ATM may prompt the user to insert or swipe the desired card through the card reader of the ATM.  
20 The account number read from the card may be forwarded to the digital signature network and be stored in association with the user's newly created digital certificate, public/private key pairs, and/or digital safe deposit account. The digital signature network may further notify the financial institution associated with the card, that the consumer has associated a digital certificate,  
25 public/private key pairs and/or digital safe deposit account with the account number of the card. The financial institution may then issue a new card to the user, which includes the mark or logo of the digital signature network.

Exemplary embodiments of the ATM may also prompt the user, as to whether the user would like the newly created digital certificate, public/private  
30 key pairs and/or digital safe deposit account to be associated with other

cards/numbers uniquely associated with the user. Such cards for example may include the user's social security card, drivers license card, national identification card, and student ID card. In such cases, the exemplary ATM may prompt the user to insert or swipe the card with the desired unique  
5 number stored thereon through the card reader of the ATM. The unique number read from the card may be forwarded to the digital signature network and be stored in association with the user's newly created digital certificate, public/private key pairs, and/or digital safe deposit account.

In some embodiments, where the newly created digital certificate,  
10 public/private key pairs, and/or digital safe deposit account is not associated with a financial account or other unique card/number of the user, the digital signature network may be operative to issue the user a digital signature card for use with signing future electronic documents and for accessing electronic documents stored in the user's digital safe deposit account. The digital  
15 signature card may include stored thereon a unique account number associated with the newly created digital certificate, public/private key pairs, and/or digital safe deposit account. In one exemplary embodiment, the ATM may include a card issuing device which is operative to output the digital signature card directly to the user once the digital certificate is created. In further  
20 exemplary embodiments, the digital signature network may initiate the production of a digital signature card which is mailed to the address of the user.

Once the digital certificate, public/private key pair, and/or digital safe deposit account is created, the exemplary ATM may proceed to prompt the  
25 user through the process of signing the electronic document using the private key associated with the newly created digital certificate.

In exemplary embodiments, where the user associates a financial account or other card/number with a newly created digital certificate or where a digital signature card is issued to the user, the ATM may prompt the user to input  
30 through an input device of the ATM, a secret password or PIN to be

associated with the card for purposes of using the card in the future to sign electronic documents and/or for accessing electronic documents stored in the newly created digital safe deposit account. In the future, the user may use his/her credit card, digital signature card, or other card associated with the  
5 newly created digital certificate, public/private key pair, and/or digital safe deposit account to sign other electronic documents at the same ATM or other exemplary ATM connected to the exemplary digital signature network. As discussed previously exemplary embodiments of the ATM may prompt the user to enter the password or PIN associated with the card prior to enabling the  
10 user to sign electronic documents and/or access electronic documents for a digital safe deposit account with the ATM.

As shown in Figure 18, the exemplary embodiment of the digital signature network may further be in communication with a public network such as the Internet 718 to enable user to access their digital certificate,  
15 public/private key pair, and/or digital safe deposit account from a home computer or other computing device. The digital signature network may further provide services over the Internet such as digitally signing electronic documents and/or storing electronic documents in a digital safe deposit account associated with a financial account. For example, in one exemplary  
20 embodiment, the digital signature network may include a web server which enables a user to enter his/her financial account number or other card/number and PIN or other password through a browser of a PC or other computing device. If the entered information is valid, the exemplary digital signature network may enable the user to sign an electronic document using the private  
25 key associated with the inputted financial account number or other card/numbers. The web server may further enable Internet users to manage electronic documents that are stored in the storage servers of the digital signature network 710, such as viewing, copying, deleting, and forwarding the documents to other locations and addresses.

Computer software used in operating the automated transaction machines of the present invention and connected computers, computer processors, and servers may be loaded from articles of various types into the respective computers. Such computer software may be included on and loaded  
5 from one or more articles such as diskettes, compact disks, or DVDs. Such software may also be included on articles such as hard disk drives, tapes, read-only memory devices, or memory cards. Other articles which include data representative of the instructions for operating computers in the manner described herein are suitable for use in achieving operation of automated  
10 transaction machines and associated digital signature services, networks and servers and systems in accordance with embodiments described herein.

The exemplary embodiments of the automated banking machines and systems described herein have been described with reference to particular software components, functions and features. Other embodiments of the  
15 invention may include other or different software components, digital signature algorithms, and cryptography components which provide similar functionality.

Thus the new automated transaction machine digital signature system and method achieves one or more of the above stated objectives, eliminates  
20 difficulties encountered in the use of prior devices and systems, solves problems and attains the desirable results described herein.

In the foregoing description certain terms have been used for brevity, clarity and understanding, however no unnecessary limitations are to be implied therefrom because such terms are used for descriptive purposes and  
25 are intended to be broadly construed. Moreover, the descriptions and illustrations herein are by way of examples and the invention is not limited to the exact details shown and described.

In the following claims any feature described as a means for performing a function shall be construed as encompassing any means known  
30 to those skilled in the art to be capable of performing the recited function, and



shall not be limited to the features and structures shown herein or mere equivalents thereof. The description of the exemplary embodiment included in the Abstract included herewith shall not be deemed to limit the invention to features described therein.

- 5           Having described the features, discoveries and principles of the invention, the manner in which it is constructed and operated, and the advantages and useful results attained; the new and useful structures, devices, elements, arrangements, parts, combinations, systems, equipment, operations, methods and relationships are set forth in the appended claims.

CLAIMS

We claim:

1. An apparatus comprising:

5           an ATM, wherein the ATM includes:

                  at least one computer processor;

10                   at least one input device in operative connection with the  
                  computer processor; and

15                   at least one display device in operative connection with the  
                  computer processor, wherein the computer processor is  
                  operative to output a visual representation of at least one  
                  electronic document through the display device responsive to at  
                  least one first input through the at least one input device, and  
                  wherein the computer processor is operative to cause the at  
                  least one electronic document to be digitally signed with a  
20                   private key responsive to at least one second input through the  
                  at least one input device.

2.       The apparatus according to claim 1, wherein the computer  
processor is operative to cause a message to be output through the display  
device which prompts a user to enter through the at least one input device a  
25       confirming input which is representative of a confirmation that a digital  
signing of the electronic document is intended to be a legally binding  
signature, wherein the at least one second input includes the confirming input.

3.       The apparatus according to claim 1, wherein the ATM further  
30       includes a cash dispenser device in operative connection with the computer

processor, wherein the computer processor is operative to cause the cash dispenser to dispense currency responsive to at least one third input through the at least one input device.

5           4.       The apparatus according to claim 2, wherein the ATM further includes a digitizing signature pad in operative connection with the computer processor, wherein the computer processor is operative to receive at least one hand written signature scan through the digitizing signature pad, wherein the computer processor is operative to include the hand written signature scan  
10       with the electronic document.

          5.       The apparatus according to claim 3, wherein the ATM further includes a card reader in operative connection with the computer processor, wherein the computer processor is operative to cause the card reader to read at  
15       least one account number from a card, wherein the computer processor is operative to cause a remote server to access the private key responsive to the at least one account number read from the card.

          6.       The apparatus according to claim 5, wherein the account number  
20       includes a financial account number associated with a financial account.

          7.       The apparatus according to claim 6, wherein computer processor is operative to cause the electronic document to be digitally time stamped.

25           8.       The apparatus according to claim 7, wherein the ATM includes a fascia, wherein the at least one display device and the at least one input device are accessible to the user through the fascia, wherein further comprising a visible indicia adjacent the fascia, wherein the visible indicia is representative of source indicator mark for a digital signature service.  
30

9. The apparatus according to claim 5, wherein the ATM further includes at least one communication port in operative connection with the computer processor, wherein the computer processor is operative to communicate with at least external source through the communication port,  
5 wherein the computer processor is operative to retrieve the electronic document from the at least one external source.

10. The apparatus according to claim 9, wherein the computer processor is operative to send a digitally signed copy of the electronic  
10 document to the at least one external source.

11. The apparatus according to claim 9, wherein the at least one external source includes a network accessible storage location.

12. The apparatus according to claim 9, wherein the at least one  
15 external source includes portable computing device.

13. The apparatus according to claim 2, wherein the computer processor is operative responsive to the at least one second input to attach a  
20 statement to the electronic document which indicates that the user confirmed that the digital signing of the electronic document is intended to represent a legally binding electronic signature of the user.

14. The apparatus according to claim 13, wherein the computer  
25 processor is operative to cause at least the statement to be digitally signed with a further private key.

15. The apparatus according to claim 3, wherein the ATM further includes a storage device drive in operative connection with the computer  
30 processor, wherein the computer processor is operative to read and write to a

portable storage medium placed in operative connection with the storage device drive, wherein the computer processor is operative to retrieve the electronic document from the portable storage medium.

5           16. The apparatus according to claim 15, wherein the computer processor is operative to store a digitally signed copy of the electronic document on the portable storage medium.

10           17. The apparatus according to claim 3, further comprising at least one server located remotely from the ATM, wherein the computer processor is operative to communicate with the at least one server, wherein the at least one server is operative to generate a digital signature responsive to the private key.

15           18. The apparatus according to claim 17, wherein the computer processor is operative to send the electronic document to the at least one server, wherein the at least one server is further operative to generate the digital signature responsive to the electronic document.

20           19. The apparatus according to claim 17, wherein the computer processor is operative to generate and send a one-way hash of the electronic document to the at least one server, wherein the at least one server is further operative to generate the digital signature responsive to the one-way hash, wherein the computer processor is operative to receive the digital signature from the at least one server, wherein the computer processor is operative to  
25           attach the digital signature to the electronic document.

30           20. The apparatus according to claim 3, wherein the computer processor is operative to communicate with at least one server located remotely from the ATM, wherein the computer processor is operative to retrieve the private key from the at least one server, wherein the computer

processor is operative to generate a digital signature responsive to the electronic document and the private key.

21. The apparatus according to claim 3, wherein the computer  
5 processor is operative to communicate with at least one portable computing device, wherein the at least one portable computing device includes the private key, wherein the at least one portable computing device is operative to generate a digital signature responsive to the private key.

10 22. The apparatus according to claim 21, wherein the computer processor is operative to send the electronic document to the at least one portable computing device, wherein the at least one portable computing device is further operative to generate the digital signature responsive to the electronic document.

15 23. The apparatus according to claim 21, wherein the computer processor is operative to generate and send a one-way hash of the electronic document to the at least one portable computing device, wherein the at least portable computing device is further operative to generate the digital signature  
20 responsive to the one-way hash, wherein the computer processor is operative to receive the digital signature from the portable computing device, wherein the computer processor is operative to attach the digital signature to the electronic document.

25 24. The apparatus according to claim 3, wherein the computer processor is operative to communicate with at least one portable computing device, wherein the computer processor is operative to retrieve the private key from the at least one portable computing device, wherein the computer  
30 processor is operative to generate a digital signature responsive to the electronic document and the private key.

25. The apparatus according to claim 3, wherein the ATM further includes a smart card reader in operative connection with the computer processor, wherein the computer processor is operative to communicate with at least one smart card through the smart card reader, wherein the private key  
5 is stored on the smart card., wherein the smart card is operative to generate a digital signature responsive to the private key.

26. The apparatus according to claim 25, wherein the computer processor is operative to send the electronic document to the smart card,  
10 wherein the smart card is further operative to generate the digital signature responsive to the electronic document.

27. The apparatus according to claim 25, wherein the computer processor is operative to generate and send a one-way hash of the electronic document to the smart card, wherein the smart card is further operative to  
15 generate the digital signature responsive to the one-way hash, wherein the computer processor is operative to receive the digital signature from the smart card, wherein the computer processor is operative to attach the digital signature to the electronic document.

20  
28. The apparatus according to claim 3, wherein the ATM further includes a smart card reader in operative connection with the computer processor, wherein the computer processor is operative to communicate with at least one smart card through the smart card reader, wherein the private key  
25 is stored on the smart card., wherein the computer processor is operative to retrieve the private key from the smart card, wherein the computer processor is operative to generate a digital signature responsive to the electronic document and the private key.

30

29. An automated transaction machine comprising:

at least one computer processor;

5           at least one display device in operative connection with the computer processor, wherein the computer processor is operative to output a visual representation of an electronic document through the display device;

10          a card reader in operative connection with the computer processor, wherein the computer processor is operative to cause the card reader to read indicia corresponding to at least one account number from a card; and

15          at least one input device in operative connection with the computer processor, wherein the computer processor is operative to output a message through the display device which prompts a user to enter a confirming input through the at least one input device which is representative of a confirmation that a digital signing of the electronic document is intended to be a legally binding signature, wherein the  
20          computer processor is operative to cause the electronic document to be digitally signed with a private key associated with the account number responsive to the confirming input.

25          30. The apparatus according to claim 29, further comprising a digitizing signature pad in operative connection with the computer processor, wherein the computer processor is operative to receive at least one hand written signature scan through the digitizing signature pad, wherein the computer processor is operative to include the hand written signature scan

30



with the electronic document prior to the electronic document being digitally signed.

5           31. The apparatus according to claim 29, further comprising a cash dispenser in operative connection with the computer processor, wherein the computer processor is operative to cause the cash dispenser to dispense cash responsive to at least one further input received through the at least one input device.

10           32. The apparatus according to claim 29, wherein the computer processor is operative to access at least one digital safe deposit account located remotely from the automated transaction machine, wherein the private key is stored in association with the digital safe deposit account, wherein the account number is associated with digital safe deposit account.

15           33. The apparatus according to claim 32, wherein the computer processor is operative to access at least one storage server, wherein the at least one storage server is in operative connection with at least one data store, wherein the at least one data store includes the private key stored in  
20           association with the digital safe deposit account.

          34. The apparatus according to claim 33, wherein the computer processor is operative to cause the storage server to store the electronic document in the at least one data store in association with the digital safe  
25           deposit account.

          35. The apparatus according to claim 29, wherein the account number includes a financial account number associated with a financial account.

30

36. The apparatus according to claim 35, wherein the computer processor is operative to communicate the financial account number to at least one remote server, wherein the remote server is operative to access the private key responsive to the financial account number.

5

37. The apparatus according to claim 36 wherein the computer processor is operative to cause the remote server to produce a digital signature for the electronic document responsive to the private key, wherein the computer processor is operative to receive the digital signature from the remote server and attach the digital signature to the electronic document.

10

38. The apparatus according to claim 37, wherein the computer processor is operative to attach a digital certificate to the electronic document, wherein the digital certificate includes a public key that is operative to validate the digital signature.

15

39. The apparatus according to claim 29, wherein the computer processor is operative to cause the private key and a matching public key to be produced, wherein the computer processor is in operative communication with a certificate authority, wherein the computer processor is operative to cause the certificate authority to generate a digital certificate that includes the public key.

20

40. The apparatus according to claim 39, wherein the computer processor is operative to attach the digital certificate to the electronic document.

25

41. The apparatus according to claim 40, wherein the computer processor is operative to cause the private key and the digital certificate to be stored in association with a digital safe deposit account.

30

42. The apparatus according to claim 41, wherein the computer processor is operative to cause a remote server to establish the digital safe deposit account.

5           43. The apparatus according to claim 42, wherein the computer processor is operative to cause the remote server to associate the digital safe deposit account with a financial account associated with the account number.

10           44. The apparatus according to claim 29, wherein the computer processor is operative to cause the private key to be produced, wherein the computer processor is operative to cause the private key to be remotely stored in association with the account number.

15           45. The apparatus according to claim 44, wherein the account number corresponds to a financial account number.

20           46. The apparatus according to claim 29, wherein the computer processor is operative to communicate with a financial transaction processing system, wherein the computer processor is operative to cause the electronic document to be digitally signed responsive to communication with the financial transaction processing system.

25           47. The apparatus according to claim 29, wherein the computer processor is operative to cause the electronic document to be further digitally signed with a further private key.

30           48. The apparatus according to claim 47, wherein the further private key is associated with a notary public.

49. The apparatus according to claim 29, wherein computer processor is operative to cause the electronic document to be digitally time stamped.

50. The apparatus according to claim 29, wherein prior to causing the electronic document to be digitally signed, the computer processor is operative to modify the electronic document responsive to at least one further input through the at least one input device.

51. A method comprising:

10

- a) accessing an electronic document with an ATM;
- b) displaying the electronic document through a display screen of the ATM;
- 15 c) prompting a user to enter at least one first input representative of a confirmation that a digital signature for the electronic document is intended to correspond to a legally binding signature;
- 20 d) receiving the at least one first input through at least one input device of the ATM;
- e) producing the digital signature for the electronic document responsive to the at least one first input; and
- 25 f) attaching the digital signature to the electronic document.

20

25

30

52. The method according to claim 51, wherein after step (b) further comprising:

57

- g) capturing a handwritten signature scan through a digitizing signature pad of the ATM; and
- h) attaching the handwritten signature scan to the electronic document.

5

53. The method according to claim 51, wherein further comprising:

- g) receiving at least one second input through the at least one input device;
- h) causing a cash dispenser of the ATM to dispense cash responsive to the at least one second input.

10

54. The method according to claim 51, wherein prior to step (e) further comprising:

15

- g) reading a financial account number from a card through operation of a card reader of the ATM;
- h) causing a private key associated with the financial account number to be accessed from a remote server; and

20

wherein in step (e) the digital signature is caused to be generated responsive to the private key associated with the financial account number.

25

55. The method according to claim 51, further comprising:

- g) producing a digital time stamp for the electronic document; and
- h) attaching the digital time stamp to the electronic document.

30

56. Computer readable media bearing instructions which are operative to cause at least one computer in the ATM to cause the ATM to carry out the method steps recited in claim 51.

5

57. A method comprising:

- 10
- a) reading a financial account number from a card through operation of a card reader device;
  - b) sending the financial account number read from the card to a server associated with a digital signature network, wherein the server is operative to cause a private key stored in association with a financial account to be accessed responsive to correlating the financial account number read from the card with the financial account; and
  - 15
  - c) causing an electronic document to be digitally signed responsive to the private key associated with the financial account.
  - 20

58. The method according to claim 57, further comprising:

- 25
- d) accessing a digital safe deposit account that corresponds to the financial account number; and
  - e) causing the electronic document to be stored in a remote data store in association with the digital safe deposit account.

30

59. The method according to claim 57, further comprising:

- d) receiving the electronic document from the remote data store;  
and
- e) sending the electronic document to an external storage location  
other than the remote data store.

60. The method according to claim 57, wherein prior to step (c) further  
comprising:

- d) outputting a visual representation of the electronic document  
through a display device of an automated transaction machine  
including a cash dispenser, wherein the automated transaction  
machine includes the card reader device.

61. The method according to claim 60, wherein prior to step (c) further  
comprising:

- e) enabling a user to modify the content of the electronic  
document through at least one input to at least one input device  
of the automated transaction machine.

62. The method according to claim 60, wherein prior to step (c) further  
comprising:

- e) capturing a handwritten signature scan through a digitizing  
signature pad of the automated transaction machine; and

- f) attaching the handwritten signature scan to the electronic document.

5 63. The method according to claim 57, wherein prior to step (c) further comprising:

- e) prompting a user to enter at least one input representative of a confirmation that the digital signature is intended to correspond to a legally binding signature; and
- 10 wherein step (c) is performed responsive to receiving the at least one input.

15 64. The method according to claim 63, wherein after step (e) further comprising:

- f) receiving the at least one input through at least one input device of an automated transaction machine, wherein the automated transaction machine includes the card reader device; and
- 20 g) causing a record of the at least one input to be stored in association with the financial account number.

25 65. The method according to claim 57, wherein in step (a) the financial account number corresponds to a credit card number.

66. The method according to claim 57, wherein prior to step (c) further comprising:

- d) receiving at least one input through at least one input device of an automated transaction machine, wherein the automated
- 30



transaction machine includes the card reader device; and

- 5                   e)     sending the server associated with the digital signature network information corresponding to the received at least one input, wherein the server is operative to cause access to the private key to be permitted responsive to a determination that the received input corresponds to a password associated with the private key.

10                67. The method according to claim 66, wherein in step (d) the at least one input corresponds to biometric data received through a biometric reading device of the automated transaction machine.

15                68. The method according to claim 66, wherein in step (d) the at least one input corresponds to a PIN of the financial account, wherein the PIN is entered through a keypad of the automated transaction machine.

69. The method according to claim 57, further comprising:

- 20                   d)     causing the electronic document to be digitally time stamped.

25                70. Computer readable media bearing instructions which are operative to cause at least one computer in the automated transaction machine to cause the automated transaction machine to carry out the method steps recited in claim 57.

71. A method comprising:

- 30                   a)     accessing an electronic document with an automated transaction machine;

- 5                   b)       causing a digital certificate to be produced, wherein the digital certificate includes information associated with the identity of a user of the automated transaction machine, wherein the digital certificate includes a public key that corresponds to a private key;
- c)       displaying a visual representation of the electronic document through a display screen of the automated transaction machine;
- 10               d)       prompting a user to enter at least one input representative of a confirmation that a digital signature for the electronic document is intended to correspond to a legally binding signature;
- e)       receiving the at least one input through at least one input device of the automated transaction machine;
- 15               f)       causing the digital signature for the electronic document to be produced responsive to the at least one input and the private key; and
- 20               g)       causing the digital signature and digital certificate to be attached to the electronic document.
- 25               72. The method according to claim 71, wherein prior to step (b) further comprising:
- h)       retrieving at least a portion of the information associated with the identity of the user from the electronic document.
- 30

73. The method according to claim 72, further comprising:

- 5           h)     causing a digital safe deposit account to be established for the user in a remote data store, including storing the digital certificate and the private key in association with the digital safe deposit account.

74. The method according to claim 73, further comprising:

- 10           i)     causing a digitally signed copy of the electronic document to be stored in association with the digital safe deposit account.

75. The method according to claim 71, wherein in step (a) the electronic document is accessed from a network accessible storage location.

15

76. The method according to claim 71, further comprising:

- h)     sending a digitally signed copy of the electronic document to a network accessible storage location.

20

77. The method according to claim 71, further comprising:

- h)     sending a digitally signed copy of the electronic document to a network address specified by the electronic document.

25

78. The method according to claim 71, further comprising:

- h)     sending a digitally signed copy of the electronic document to a network address specified by the automated transaction machine.

30

79. The method according to claim 71, further comprising:

- 5                   h)     causing a digital signature processing fee to be assessed to an account specified in the electronic document through communication with a financial transaction processing system.

80. The method according to claim 71, further comprising:

- 10                  h)     causing a digital signature processing fee to be assessed to an account specified by the automated transaction machine through communication with a financial transaction processing system.

81. The method according to claim 71, further comprising:

- 15                   h)     causing a digital time stamp to be created for the electronic document; and
- 20                   i)     causing the digital time stamp to be attached to the electronic document.

82. The method according to claims 71, wherein the automated transaction machine includes a cash dispenser.

- 25                   83. Computer readable media bearing instructions which are operative to cause at least one computer in the automated transaction machine to cause the automated transaction machine to carry out the method steps recited in claim 71.

84. An apparatus comprising:

at least one computer processor; and

5           at least one data store in operative connection with the computer  
processor, wherein the at least one data store includes a plurality of  
digital safe deposit accounts stored therein, wherein each of the digital  
safe deposit accounts is associated with at least one private key,  
wherein the computer processor is operative to communicate with a  
10          plurality of ATMs, wherein the computer processor is operative  
responsive to at least one of the ATMs to cause a digital signature to be  
produced for an electronic document responsive to the private key  
associated with one of the digital safe deposit accounts.

15           85. The apparatus according to claim 84 wherein the computer  
processor is operative to receive the electronic document from the at least one  
ATM, wherein the computer processor is operative to store the electronic  
document in the data store in association with the one digital safe deposit  
account.

20           86. The apparatus according to claim 85 wherein the computer  
processor is operative to retrieve the electronic document from the data store  
and send the electronic document to any one of the plurality of ATMs.

25           87. The apparatus according to claim 85 wherein the computer  
processor is operative to encrypt and decrypt the electronic document stored in  
the at least one data store responsive to a secret key received from the at least  
one ATM.

30

88. The apparatus according to claim 84 wherein each digital safe deposit account is associated with a financial account number, wherein the computer processor is operative to access the private key associated with the one digital safe deposit account responsive to a message received from the at least one ATM which includes a financial account number that corresponds to the financial account number associated with the one digital safe deposit account.

89. The apparatus according to claim 88, wherein the at least one financial account number corresponds to a credit card number.

90. The apparatus according to claim 84 wherein each digital safe deposit account is associated with at least one digital certificate, wherein the computer processor is operative to cause the digital signature and at least one of the digital certificates associated with the one digital safe deposit account to be attached to the electronic document.

91. The apparatus according to claim 84 wherein the computer processor is operative to maintain and store in the at least one data store, an access log in association with each digital safe deposit account.

92. The apparatus according to claim 84 wherein the at least one ATM includes a cash dispenser, wherein the computer processor is operative through communication with a financial transaction processing system to cause a dispense of cash from the cash dispenser to be authorized.

93. The apparatus according to claim 84 wherein the computer processor is operative to cause a new digital safe deposit account to be created in the data store responsive to communication from the at least one ATM.

94. The apparatus according to claim 93 wherein the computer processor is operative to cause a new private key and a corresponding public key to be produced responsive to communication from the at least one ATM, wherein the computer processor is operative to store the private key in  
5 association with the new digital safe deposit account.

95. The apparatus according to claim 94 wherein the computer processor is operative to cause a digital certificate to be generated and stored in association with the new digital safe deposit account, wherein the digital  
10 certificate includes the public key.

96. The apparatus according to claim 95 wherein the computer processor is operative to receive a financial account number from the at least one ATM, wherein the computer processor is operative to store the financial  
15 account number in association with the new digital safe deposit account.

97. The apparatus according to claim 96 wherein the computer processor is operative to receive a password input from the at least one ATM, wherein the computer processor is operative to store the password input in  
20 association with the new digital safe deposit account.

98. The apparatus according to claim 84 wherein the computer processor is operative to receive a one-way hash of the electronic document from the at least one ATM, wherein the computer processor is operative to  
25 cause the digital signature to be generated responsive to the one-way hash and the private key.

99. The apparatus according to claim 84 wherein the computer processor is operative to cause a second digital signature to be produced for  
30

the electronic document responsive to a private key that is not associated with the one digital safe deposit account.

100. The apparatus according to claim 84 wherein the computer  
5 processor is operative to cause a digital signature processing fee to be assessed to a financial account in response to causing the digital signature to be produced for the electronic document.

101. The apparatus according to claim 100 wherein the computer  
10 processor is operative to receive information about the financial account from the at least one ATM.

102. The apparatus according to claim 84 wherein the computer  
15 processor is operative to cause a digital time stamp to be produced and attached to the electronic document.

103. A method comprising:

- 20 a) receiving a financial account number from an automated transaction machine;
- b) accessing a private key associated with the financial account number; and
- 25 c) enabling an electronic document displayed by the automated transaction machine to be digitally signed with the private key.

104. The method according to claim 103, wherein prior to step (c)  
30 further comprising:



- 5
- d) receiving a password from the automated transaction machine;  
and
  - e) verifying that the password corresponds to a valid password  
previously associated with the financial account number.

105. The method according to claim 103, further comprising:

- 10
- d) accessing a digital certificate previously associated with the  
financial account number, wherein the digital certificate  
includes a public key that corresponds to the private key,  
wherein the public key is capable of being used to validate the  
digital signature; and
- 15
- e) enabling the digital certificate to be associated with the  
electronic document.

106. The method according to claim 103, further comprising:

- 20
- d) storing a digitally signed copy of the electronic document in a  
digital safe deposit account in association with the financial  
account number.

107. The method according to claim 103, further comprising:

- 25
- d) receiving a second financial account number from the  
automated transaction machine; and
- 30
- e) assessing a processing fee associated with the digital signing of  
the electronic document to a financial account associated with  
the second financial account number.

108. The method according to claim 103, further comprising:

- d) enabling the electronic document to be digitally time stamped.

5 109. The method according to claim 103, further comprising:

- d) dispensing cash from the automated transaction machine.

110. A method comprising:

10

- a) receiving a request from an automated transaction machine to digitally sign an electronic document visually displayed by the automated transaction machine, wherein the request includes an account number that is associated with a digital safe deposit account;

15

- b) accessing a private key associated with the digital safe deposit account responsive to the account number; and

20

- c) producing a digital signature for the electronic document responsive to the private key; and

- d) causing the digital signature to be attached to the electronic document.

25

111. The method according to claim 110, further comprising:

- e) storing a digitally signed copy of the electronic document in a data store in association with the digital safe deposit account.

30

112. The method according to claim 110, wherein in step (a) the account number corresponds to a financial account number.

113. The method according to claim 110 and further comprising:

5

e) dispensing cash from the automated transaction machine.

114. A method comprising:

10

a) receiving a request at an ATM to digitally sign an electronic document visually displayed by the ATM;

b) causing a digital signature and a digital time stamp to be produced for the electronic document; and

15

c) causing the digital signature and the digital time stamp to be attached to the electronic document.

115. The method according to claim 114 and further comprising:

20

d) dispensing cash from the ATM.

116. A method comprising:

25

a) producing a plurality of digital certificates for a plurality of individual customers, wherein each individual customer is associated with an account;

30

b) associating the accounts of the individual customers with the corresponding digital certificates of the individual customers;

- 5 c) producing at least one card for each of the individual customers, wherein each card includes a first visible indicia thereon which corresponds to a source indicator mark for a digital signature service, wherein each card includes machine readable data corresponding to an account number associated with the account of the individual customer;
- d) sending the cards to the individual customers; and
- 10 e) enabling each individual customer to digitally sign an electronic document using any one of a plurality of automated transaction machines and one of the cards, wherein each automated transaction machine is operative to display a visual representation of the electronic document through a display device of the automated transaction machine, wherein each
- 15 automated transaction machine is operative to cause the electronic document to be digitally signed through communication with the digital signature service, wherein the communication includes the account number read from the card
- 20 by the automated transaction machine.

117. The method according to claim 116, wherein in step (e) each of the machines includes a second visible indicia which corresponds to a source indicator mark for the digital signature service.

118. The method according to claim 117, wherein in step (e) the second indicia is displayed adjacent a fascia of the automated transaction machines, wherein the first indicia and the second indicia are visually similar.

119. The method according to claim 116, wherein in step (a) each digital certificate includes a public key that corresponds to a private key, wherein in step (c) the digital signature service is operative to cause the electronic document to be digitally signed responsive to the private key that  
5 corresponds to the public key of the digital certificate which is associated with the account of the individual customer using the machine.

120. The method according to claim 116, wherein in step (e) the digital signature service is operative to access a private key associated with the account number read from the card, wherein the digital signature service is  
10 operative cause the electronic document to be digitally signed responsive to the private key.

121. The method according to claim 116, wherein in step (c) the cards  
15 correspond to financial account cards, wherein the accounts correspond to financial accounts.

122. The method according to claim 121, wherein in step (e) the automated transaction machines are operative to cause processing fees to be  
20 assessed for the digital signing of electronic documents, and further comprising:

f) enabling an entity that manages the financial accounts for the individual customers to receive at least a portion of the  
25 processing fees.

123. The method according to claim 116, wherein in step (e) the automated transaction machines include digitizing signature pads, wherein the automated transaction machines are operative to include handwritten signature  
30 data captured with the digitizing signature pads in the electronic documents.

124. The method according to claim 116, wherein at least some of the automated transaction machines include cash dispensers, wherein the automated transaction machines that include cash dispensers are further operative to dispense cash.


5

125. The method according to claim 124, wherein in step (c) the cards correspond to bank cards, wherein the accounts correspond to banking accounts, and wherein the automated transaction machines include cash dispensers, and wherein the automated transaction machines are further operative to dispense cash withdrawn from the banking accounts.

10


126. The method according to claim 116, wherein in step (a) the accounts correspond to digital safe deposit accounts, wherein in step (c) the cards correspond to digital safe deposit account cards.

15





**FIG. 1**

2/11



**FIG. 2**




3/11


**FIG. 3****FIG. 4**

4/11

**FIG. 5****FIG. 6**




**FIG. 7**




**FIG. 8**

6/11


**FIG. 9**






**FIG. 10**





**FIG. 11**




7/11

**FIG. 12****FIG. 13****FIG. 14**


8/11

**FIG. 15****FIG. 16**

9/11

**FIG. 17**

10/11

**FIG. 18**



18

Auto Loan:

182

☐ I confirm that the digital signing of this document is intended to create my legally binding electronic signature.

☐ <-- YES NO--> ☐

☐

☐

☐

☐

**FIG. 19**